

MINIFIBERS, INC.

Technical Data Sheet

POLYPROPYLENE FIBERS Product Code Prefix: PPSTD-030NRR

Definition: A manufactured fiber in which the fiber-forming substance is a long-chain synthetic polymer composed of at least 85% by weight of propylene units.

Filament Size (denier per filament): 3.0 dpf

Standard Cut Length: 5mm (1/4")

Shrinkage, (%): Data not available

Breaking Tenacity (gpd): Data not available

Initial Moisture Content (%): <6.0

Average Moisture Regain of Polypropylene (%): <1.0

Specific Gravity (g/cm³): 0.90 to 0.93

Effect of Heat: Softens at 290 to 310°F. Melts at 320°F. Decomposes at 550°F.

Chemical Reactivity: Excellent resistance to acids and alkalis.

Dispersion: Easily dispersed in aqueous and non-aqueous systems. Surface treatment to aid dispersion applied as required.

Packaging: Fiber is packaged in corrugated boxes with polyethylene liners. Custom packaging available upon request.

The above information is provided to describe typical values and does not constitute a product specification. MiniFIBERS warrants that for each Product sold, such Product will meet the standard specifications provided for that Product and will be of a quality consistent with the standard specifications. This is the sole warranty given with respect to the Product, and is given expressly in lieu of any other warranties, expressed or implied, including without limitation any implied or general warranty of merchantability or of fitness for a particular purpose. It is expressly understood that any technical advice or assistance that may be provided by MiniFIBERS is rendered without compensation, and MiniFIBERS assumes no obligation or liability for such advice or assistance given, or for results obtained.